

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERC United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/646,505	08/22/2003	Ilya Reyzin	DP-309923	9673
22851 75	90 10/28/2004		EXAMINER	
	HNOLOGIES, INC.		FLANIGAN, ALLEN J	
M/C 480-410-20 PO BOX 5052	02	1	ART UNIT	PAPER NUMBER
TROY, MI 48	007		3753	
			DATE MAILED: 10/28/2004	1

Please find below and/or attached an Office communication concerning this application or proceeding.

		U	۸۸			
	Application No.	Applicant(s)	++++			
	10/646,505	REYZIN ET AL.	VV'			
Office Action Summary	Examiner	Art Unit	<u> </u>			
	Allen J. Flanigan	3753				
The MAILING DATE of this communication Period for Reply	appears on the cover sheet w	ith the correspondence address -	•			
A SHORTENED STATUTORY PERIOD FOR REI THE MAILING DATE OF THIS COMMUNICATIO - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a - If NO period for reply is specified above, the maximum statutory per - Failure to reply within the set or extended period for reply will, by sta Any reply received by the Office later than three months after the may earned patent term adjustment. See 37 CFR 1.704(b).	N. 1.136(a). In no event, however, may a reply within the statutory minimum of this iod will apply and will expire SIX (6) MOI tute. cause the application to become A	reply be timely filed ty (30) days will be considered timely. THS from the mailing date of this communica BANDONED (35 U.S.C. & 133)	ition.			
Status						
1) Responsive to communication(s) filed on <u>12</u>	2 August 2004.					
2a) This action is FINAL . 2b) This action is non-final.						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice unde	er Ex parte Quayle, 1935 C.D). 11, 453 O.G. 213.				
Disposition of Claims						
 4) Claim(s) 1-19 is/are pending in the applicating 4a) Of the above claim(s) is/are withdrown is/are withdrown is/are allowed. 5) Claim(s) 14-19 is/are allowed. 6) Claim(s) 1 and 9 is/are rejected. 7) Claim(s) 2-8 and 10-13 is/are objected to. 8) Claim(s) are subject to restriction and 	rawn from consideration.					
Application Papers						
9) The specification is objected to by the Exami 10) The drawing(s) filed on is/are: a) a Applicant may not request that any objection to the Replacement drawing sheet(s) including the corn 11) The oath or declaration is objected to by the	ccepted or b) objected to ne drawing(s) be held in abeyar ection is required if the drawing	nce. See 37 CFR 1.85(a). (s) is objected to. See 37 CFR 1.121				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the priority docume application from the International Bure * See the attached detailed Office action for a life.	ents have been received. ents have been received in A riority documents have been eau (PCT Rule 17.2(a)).	pplication No received in this National Stage				
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) Interview S	ummary (PTO-413)				
Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/0 Paper No(s)/Mail Date	Paper No(s)/Mail Date formal Patent Application (PTO-152)				

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 1 and 9 are rejected under 35 U.S.C. 102(b) as being anticipated by Yamamoto et al.

Please see the comments made in regard to the above rejection in the previous Office action.

Applicant's arguments filed 8/12/2004 have been fully considered but they are not persuasive.

Applicant presents arguments that are not commensurate with the scope of the claims. Nothing in the claims prohibits the presence of an additional metal screen wick layer on the claimed "condenser" and "base" plates, nor do the claims in any other way define over the structure shown in Yamamoto et al. Fig. 31 embodiment. First wicks 201 are clearly angled down towards the base plate, at an angle of 90 degrees. No particular limitation is placed on this angle by claims 1 and 9.

Claims 2-8 and 10-13 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Claims 14-19 are allowed.

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 3753

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Allen J. Flanigan whose telephone number is (703) 308-1015. The examiner can normally be reached on M-F 9:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Scherbel can be reached on (703) 308-1272. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3753

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Allen J. Flanigan

Primary Examiner

Art Unit 3753

AJF